

महाराष्ट्र शासन  
GRANT GOVERNMENT MEDICAL COLLEGE &  
SIR J.J.GROUP OF HOSPITALS, MUMBAI  
(GOVERNMENT OF MAHARASHTRA)  
ग्रॅन्ट शासकीय वैद्यकीय महाविद्यालय व सर ज. जी. समुह रुग्णालय, मुंबई-४००००८  
TEL.NO.373 55 55, 373 1144 ; FAX NO.373 55 99; E-MAIL - admofficerggmc@gmail.com



क्र.प्रशावेम/खरेदी/सुक्ष्म.शा./दरपत्रक/ Nutrient Agar/१३२/२०२५

दिनांक :- ०६/०२/२०२५

प्रति,

विषय :- ग्रॅन्ट शासकीय वैद्यकीय महाविद्यालयाच्या अखत्यारीतील सुक्ष्मजीवशास्त्र विभागाकरीता  
PFMS योजनेअंतर्गत रसायने/किट्स/कॅन्झुमेबल व काचसामान खरेदी करणेबाबत

उपरोक्त विषयान्वये नमूद केल्यानुसार ग्रॅन्ट शासकीय वैद्यकीय महाविद्यालय, मुंबई अखत्यारीतील सुक्ष्मजीवशास्त्र विभागाकरीता PFMS योजनेअंतर्गत रसायने/किट्स/कॅन्झुमेबल व काचसामान खरेदीकरीता दरपत्रके मागविण्यात येत आहे. सदर दरपत्रक प्रक्रियेत भाग घेण्यास आपण ड्युझुक असल्यास दरपत्रकाचा अनु. क्रमांक व तारीख आणि विषय उल्लेखित केलेल्या मोहरबंद लिफाफ्यात पूर्ण भरलेले दरपत्रक अधिष्ठाता, ग्रॅन्ट शासकीय वैद्यकीय महाविद्यालय मुंबई यांच्या नावे प्रशासकीय कार्यालयात दिनांक १५/०२/२०२५ रोजी दुपारी ४.०० वाजे पर्यन्त स्विकारले जातील.

Sr. No	Name of item	Specifications	Pack size	Requirement
1	Nutrient Agar	For Cultivation of bacteria	500 gm	6
2	Nutrient Broth	For Cultivation of bacteria	500gm	4
3	Bile Esculin Agar	For Cultivation of bacteria	500 gm	1
4	Nitrate Broth	For identification of bacteria	100gm	1
5	NaOH pellets	AR grade	500 gm	1
6	Malachite Green	Practical grade	25 gm	1
7	Fuchsin Acid (C.I. 42685)	For microscopy	25 gm	1
8	L-lysine monohydrochloride	AR quality	25 gm	1
9	L- Arginine	AR quality	25 gm	1
10	L- Ornithine monohydrochloride	AR quality	25 gm	1
11	Barium chloride (BaCl <sub>2</sub> ) powder	AR quality	500gm	1
12	Oxidase reagent (Tetra methyl paraphenyl diamine dihydrochloride)	AR quality	5 gm	1
13	Alpha naphthol (1-Hydroxynaphthalene)	AR grade	100 gm	1
14	Alpha naphthylamine (C <sub>10</sub> H <sub>9</sub> N)	AR grade	100 gm	1
15	Sulfanilic acid	AR grade	500 gm	1
16	Toluidine blue O (C.I no. 52040)	For microscopy	25 gm	1
17	Glacial acetic acid	AR grade	500 ml	5
18	Ethyl alcohol	AR quality	500 ml	6
19	Ferric Chloride anhydrous	AR quality	25gm	1

Sr. No	Name of item	Specifications	Pack size	Requirement
20	Lead acetate anhydrous powder	AR quality	500gm	1
21	Zinc sulphate heptahydrate powder	AR quality	500 gm	1
22	Amikacin 30 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
23	Amoxicillin + Clavulunate 20 / 10 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
24	Ampicillin+ salbactam (10/10 µg) discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
25	Azithromycin 30 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
26	Cefazolin 30 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
27	Cefipime 30 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
28	Cefoperazone 75 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
29	Cefotaxime 30 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
30	Cefoxitin 30 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
31	Ceftazidime 30 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
32	Ceftriaxone 30 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
33	Cefuroxime 30 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
34	Ciprofloxacin 5 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
35	Clindamycin 2 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
36	Co-Trimoxazole (23.75/1.25 µg) discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
37	Ertapenem 10 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
38	Erythromycin 15 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
39	Fosfomycin antibiotic 200 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
40	Furazolidone 100 µg antibiotic discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
41	Gentamicin 10 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
42	Gentamicin 120 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
43	Imipenem 10 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
44	Levofloxacin 5 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5

Sr. No	Name of item	Specifications	Pack size	Requirement
45	Linezolid 30 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
46	Meropenem 10 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
47	Netilmicin 30 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
48	Optochin 5 µg discs	For identification of bacteria	50 discs/vial	2
49	Piperacillin + Tazobactam (100/10 µg) discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
50	Piperacillin 100 µg discs	For Antimicrobial sensitivity testing	100 Discs/Vial	5
51	Sheep blood agar	For Cultivation of bacteria	20 plates/pack	14
52	Skim milk powder	For preparation of culture media	500gm	1
53	Sodium deoxycholate powder	AR quality	25 gm	1
54	Spores strips Bacillus Stearothermophilus 10 <sup>6</sup> spores/strip	Autoclave biological control	25 strips/ vial	2
55	Teicoplanin E strips	For Antimicrobial sensitivity testing	10 strips per pack	2
56	Vancomycin E strips	For Antimicrobial sensitivity testing	10 strips per pack	2
57	Penicillin E strips	For Antimicrobial sensitivity testing	10 strips per pack	1
58	Ceftriaxone E strips	For Antimicrobial sensitivity testing	10 strips per pack	1
59	Colistin E strips	For Antimicrobial sensitivity testing	10 strips per pack	2
60	Cotton swab with wooden stick	Non-sterile autoclavable	500/pack	10
61	Loop holder	For Cultivation of bacteria	8 pcs/pack	5
62	Sterile rigid disposable loops 1µl	For Cultivation of bacteria	100/pack	2
63	Sterile rigid disposable loops 10µl	For Cultivation of bacteria	100/pack	2
64	Nicotinamide Adenine Dinucleotide Powder	For Cultivation of bacteria	1g	6
65	Glass bottles with rubber bunk and aluminium cap 25 ml capacity, transparent (for blood culture)	Borosilicate glass	1	1000


अटी व शर्ती

- १) प्रत्येक पुरवठादारास केवळ एक दरपत्रक सादर करता येईल. सदरील दरपत्रक अधिकृत लेटरहेड वर सादर करावेत. त्यासोबत व्यवसाय नोंदणी प्रमाणपत्र, जी.एस.टी. प्रमाणपत्र, पॅन कार्ड कंपनीचे प्राधिकृत माहिती पत्रक (कॅटलॉग) इत्यादी छायांकीत प्रतीत सादर करावे.
- २) दर पत्रकात आकारण्यात आलेले दर हे बाजारभावाच्या अधिन राहून असावेत.

- ३) न्युनतम दर प्राप्त पुरवठादाराच्या नावे खरेदी आदेश निर्गमित करण्यात येतील.
- ४) दरपत्रकात नमूद विनिर्दिष्टांप्रमाणे रसायने/किटस/कॅन्ड्युमेबल व काचसामान पुरवठा करणे बंधनकारक असेल.
- ५) कोणतेही एक अथवा सर्व दरपत्रके नाकारण्याचा, संपुर्ण दरपत्रक प्रक्रिया पूर्णपणे किंवा दरपत्रक स्वीकृतीच्या कोणत्याही टप्प्यावर कारण न देता थांबविण्याचा किंवा रद्द करण्याचा, तसेच दिलेले कार्यादेश रद्द करण्याचा अधिकार अधिष्ठाता, ग्रॅन्ट शासकीय वैद्यकीय महाविद्यालय, मुंबई यांना असेल.
- 6) 1. Valid WHO GMP Certificate and WHO GMP Product List or COPP for quoted items.  
2. In House test report for purchase item.  
3. National Accreditation Board for Testing and Calibration Laboratories (NABL Test Report Compulsory)  
4. Non Conviction certificate issued from concern FDA for Manufacturer/Distributor.  
5. For Consumables : ISO 13485 (International Organization for standardization), ISO 17025, ISO 45001, ISO 14001, GMP (Good Manufacturing Practices)/Schedule M, Quality Management System (QMS) for Medical Devices, Central Drug Standard Control Organization (CDSCO) approved MD License.
- ७) सविस्तर अटी व शर्ती वाचून दरपत्रक भरण्यात यावे.



(डॉ. पल्लवि सापळे),  
अधिष्ठाता,

ग्रॅन्ट शासकीय वैद्यकीय महाविद्यालय, मुंबई  
 अधिष्ठाता,  
ग्रॅन्ट शासकीय वैद्यकीय महाविद्यालय, मुंबई