

महाराष्ट्र शासन  
SIR J. J. GROUP OF HOSPITALS, BYCULLA, MUMBAI - 8  
Medical Store  
राज.जी. रामेश रामालय, गायत्री, मुंबई - 400 007  
Tel.No. 2373 55 55, 2373 1144; Fax No. 2373 55 99;  
Email Id: jjhmedicalstore@gmail.com



No.JJH/MS/Quotation/Corrigendum/ 41 /2026

Date:- 30 /01/2026

## NOTICE - CORRIGENDUM

### Subject : Quotation Submission Date Extension.

Reference : 1) QTN No. JJH/MS/Quotation/A/21/2026 Date. 19/01/2026  
2) QTN No. JJH/MS/Quotation/C/22/2026 Date. 19/01/2026  
3) QTN No. JJH/MS/Quotation/D/23/2026 Date. 19/01/2026  
4) QTN No. JJH/MS/Quotation/E/24/2026 Date. 19/01/2026

It is to inform all prospective bidders that the last date and time for submission of above referred quotations is extended till 02/02/2026, till 5 pm. All other terms and conditions of the quotation shall remain **unchanged**. Also note that only items mentioned in attached list to be submitted on or before 02/02/2026, till 5 pm.

This notice is issued for information and necessary action.

  
Dr. Ravindra Manekshaw

Dean  
Sir, J. J. Group of Hospitals, Mumbai  
Government of Maharashtra.

## SAMPLE SUBMISSION FORM

Ref no :- JJH/MS/QTN/A/21/2026

Sr. No.	Name of Drugs	Packing	No. Of Sample Required	Sample Submitted (YES/NO)	No. of Sample Submitted
1	Glucose Strip (rate to be quoted for single strip) For every 1000 strips 1 Glucometer to be provided	Per single strip	05 - 10 Strips		

अधिकारी  
सर. जी. समूह रुग्णालय, मुंबई

29/1/2026


29/1/2026

## SAMPLE SUBMISSION FORM

Ref no :- JJH/MS/QTN/C/22/2026

Sr. No.	Name of Drugs	Packing	No. Of Sample Required	Sample Submitted (YES/NO)	No. of Sample Submitted
1	Inj. Lignocain hydrochloride 21.3 mg Sodium Chloride 6.0 mg	50 ml Vial	1 Vial		
2	Inj. Tetanus Immunoglobuline 250 IU	Vial	1 Vial		
3	Inj. Tetanus Immunoglobuline 500 IU	Vial	1 Vial		

  
 अधिकारी  
 सर. जी. समूह रुग्णालय, मुंबई

  
 9/2  
 Dr.  
 20/1/2026

## SAMPLE SUBMISSION FORM

**Ref no :- JJH/MS/Quotation/D/23/2026**

Sr. No.	Name of Drugs	Packing	No. Of Sample Required	Sample Submitted (YES/NO)	No. of Sample Submitted
1	Sodium Perborate Monohydrate 810gm (Instrument Sterilant containing : Sodium Perborate Monohydrate 50 % w/w required Compatibility report of International Standard Manufacturers for commonly used endoscopes i.e. Karl Storz/ Pentax/Fujinon/ Olympus Required item wise WHO GMP 810gm)	810 gm Jar	1 Jar or Drug Label/ Product brochure/Product literature		
2	Ordinary Denatured Spirit 1000ml	1000 ml Bottle	1 Bottle		
3	Hydrogen Peroxide I.P 6% solution 500 ml bottle	500 ml Bottle	1 Bottle		
4	Liquid Paraffin I.P. 500ml bottle	500 ml Bottle	1 Bottle		
5	White Soft Paraffin 500 gm	500 gm Jar	1 Jar		
6	Potassium Peroxomonosulphate 50% w/w 500 gm bottle(Surface Disinfectant containing Potassium Peroxomonosulphate 50% w/w EN 14476 Required item wise WHO GMP 500 gm)	500 gm Jar	1 Jar or Drug Label/ Product brochure/Product literature		
7	Chlorhexidine Gluconate Solution IP 7.5% v/v Cetrimide IP 15% w/v, Ethanol IP 6 to 8% v/v 500 ml(Antiseptic Solution : Chlorhexidine Gluconate Solution I	500 ml Bottle	1 Bottle or Drug Label/ Product brochure/Product literature		

	P 7.5% v/v Cetrimide IP 15% w/v, Ethanol IP 6 to 8% v/v Colour: Tartrazine (Supra 500 ml bottle)				
8	Surface Disinfectant- Polymeric Biguanide Hydrochloride+quaternary ammo Polymeric Biguanide Hydrochloride <10%, Alkyl Dimethyl Benzyl Ammonium Chloride & Didecyl Dimethyl Ammonium Chloride <10%	1000 ml Bottle	1 bottle or Drug Label/ Product brochure/Product literature		
9	Calamine Lotion I.P. 50 ml Bottle	50 ml Bottle	1 Bottle		
10	Protease based enzymatic cleaner 1000ml (Protease based enzymatic cleaner Required Compatibility report of International Standard Manufacturers for commonly used endoscopes i. e. Karl Storz/ Pentax/Fujinon/ Olympus 1000ml)	1000 ml Bottle	1 Bottle or Drug Label/ Product brochure/Product literature		
11	I.V. Degraded Gelatin 4% (succinated) 500ml bot.[ Degraded Gelatin I.V. 4% (succinated) 500ml bot. ]	500 ml Bottle	1 Bottle or Drug Label/ Product brochure/Product literature		

अधिकारी  
सर. जी. समूह रुग्णालय, मुंबई

१०८८  
२७/१/२०८८  
लक्ष्मी

## SAMPLE SUBMISSION FORM

**Ref no :- JJH/MS/QTN/E/24/2026**

<b>Sr. No.</b>	<b>Name of Drugs</b>	<b>Packing</b>	<b>No. Of Sample Required</b>	<b>Sample Submitted (YES/NO)</b>	<b>No. of Sample Submitted</b>
1	Adhesive Plaster 3" IP/USP (7.5cm X 5mtrs)	1 Roll	1 Roll		
2	Adhesive Plaster 4" IP/USP (10cm X 5mtrs)	1 Roll	1 Roll		
3	Adhesive paper Tape IP/BP/USP. (½" x 5 mtrs)	1 Roll	1 Roll		
4	Adhesive paper Tape IP/BP/USP. (1" x 5 mtrs)	1 Roll	1 Roll		
5	Adhesive paper Tape IP/BP/USP. (2" x 5 mtrs)	1 Roll	1 Roll		
6	Adhesive paper Tape IP/BP/USP. (3" x 5 mtrs).	1 Roll	1 Roll		
7	Povidone iodine dressing containing povidone Iodine USP 10%w/w (10 cm x 10 cm)	1 Dressing	1 Dressing		
8	Plaster of Paris Bandage (BP) (Readymade).(10cmX2.7mtrs)	1 Piece	1 Piece		
9	Plaster of Paris Bandage (BP) (Readymade).(15cmX2.7mtrs)	1 Piece	1 Piece		
10	Collagen dressing. (10 cm x 10 cm)	1 Dressing	1 Dressing		
11	Collagen dressing. (10 cm x 25 cm).	1 Dressing	1 Dressing		

Sr. No.	Name of Drugs	Packing	No. Of Sample Required	Sample Submitted (YES/NO)	No. of Sample Submitted
12	Collagen dressing. (15 cm x 30 cm).	1 Dressing	1 Dressing		
13	Elastic Crepe Bandage 4"(BP). (10cm X 2.75mtrs).	1 Roll	1 Roll		
14	Elastic Crepe Bandage 6"(BP). (15cm X 2.75mtrs)	1 Roll	1 Roll		
15	Chlorhexidine Gauze Dressing standard as per BP 1993. (10 cm x 10 cm)	1 Dressing	1 Dressing		

अधिकारी  
सर. जी. समृद्धि राणाहारे, मुंबई

Dr.  
29/1/2020

Y